


## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently Amended) A compound of the formula:



wherein

ring A represents a benzene ring, which may have 1 to 3 substituents selected from

(1) halogen atom,

(2) nitro,

(3) cyano,

(4) hydroxy,

(5) C<sub>1-6</sub> alkyl optionally having 1 to 5 halogen atoms,

(6) C<sub>6-14</sub> aryl, which may have 1 to 5 substituents selected from

halogen atom, hydroxy, C<sub>1-6</sub> alkyl optionally having 1 to 5 halogen

atoms, C<sub>1-6</sub> alkoxy optionally having 1 to 5 halogen atoms, and

C<sub>1-6</sub> alkyl-carbonyl optionally having 1 to 5 halogen atoms,

(7) C<sub>1-6</sub> alkoxy optionally having 1 to 5 halogen atoms,

(8) C<sub>1-6</sub> alkylthio optionally having 1 to 5 halogen atoms,

- (9) amino,
- (10) mono- or di-C<sub>1-6</sub> alkylamino,
- (11) C<sub>1-6</sub> alkyl-carboxamide optionally having 1 to 5 halogen atoms,
- (12) carbamoyl,
- (13) mono- or di-C<sub>1-6</sub> alkyl-carbamoyl,
- (14) C<sub>1-6</sub> alkyl-carbonyl optionally having 1 to 5 halogen atoms,
- (15) C<sub>1-6</sub> alkyl-sulfonyl optionally having 1 to 5 halogen atoms,
- (16) 5- to 7-membered non-aromatic heterocyclic group,
- (17) C<sub>1-6</sub> alkoxy-C<sub>1-6</sub> alkoxy,
- (18) 5- or 6-membered heterocyclic carbonyl,
- (19) carboxy,
- (20) C<sub>1-6</sub> alkoxy-carbonyl,
- (21) 5- to 7-membered aromatic heterocyclic group, which may have 1  
to 3 substituents selected from C<sub>1-6</sub> alkyl optionally having 1 to 5  
halogen atoms,
- (22) C<sub>1-6</sub> alkylsulfinyl optionally having 1 to 5 halogen atoms, and
- (23) C<sub>3-8</sub> cycloalkyl-C<sub>1-6</sub> alkoxy optionally having substituents;

B represents a C<sub>1-6</sub> alkylene optionally having substituents; Y and Ya are the same or different and each represents a bond, C<sub>1-6</sub> alkylene, -CO-, -CO-alkb- or -CO-alkd-O-  
(alkb and alkd are the same or different and each represents a C<sub>1-6</sub> alkylene or a bond)  
~~or a spacer having a main chain of 1 to 6 atoms;~~

R<sup>1</sup> and R<sup>2</sup> are the same or different and each represents a hydrogen atom or C<sub>1-6</sub> alkyl,  
~~a hydrocarbon group optionally having substituents or a heterocyclic group optionally~~  
~~having substituents;~~

R<sup>3</sup> represents a hydrogen atom,~~a hydrocarbon group optionally having substituents or~~  
~~a heterocyclic group optionally having substituents;~~

R<sup>4</sup> and R<sup>5</sup> are the same or different and each represents a hydrogen atom or C<sub>1-6</sub> alkyl  
~~a hydrocarbon group optionally having substituents~~, or R<sup>4</sup> and R<sup>5</sup>, together with the  
adjacent carbon atom, form a ring optionally having substituents;

R<sup>6</sup> represents an indolyl group optionally having substituents;

Z represents piperidinyl optionally having substituents or piperazinyl optionally having  
substituents; and

Za represents a hydrogen atom, a halogen atom or a cyclic group optionally having  
substituents; or a salt thereof.

2-3. (Canceled)

4. (Original) The compound according to claim 1, wherein one of R<sup>4</sup> and R<sup>5</sup> is a  
hydrogen atom, and the other is a C<sub>1-6</sub> alkyl optionally having substituents.

5-6. (Canceled)

7. (Currently Amended) The compound according to claim 1, wherein Z is  
piperidinyl or piperazinyl, each of which is substituted by a group of the formula: -Yd-Ara  
wherein Yd is a bond, C<sub>1-6</sub> alkylene, -alka-O-alkb-, -alka-S-alkb-, -alka-CO-alkb-, -alka-  
SO-alkb-, -alka-SO<sub>2</sub>-alkb- or -alkc-CO-alkd-NH-alke- (wherein alka, alkb, alk, alkd and  
alke are the same or different and each represents a C<sub>1-6</sub> alkylene or a bond) represents

~~a bond or a spacer having a main chain of 1 to 6 atoms~~, and Ara represents a monocyclic group optionally having substituents.

8. (Original) The compound according to claim 1, wherein Ya is a bond, and Za is a hydrogen atom.

9. (Original) The compound according to claim 1, wherein B is a C<sub>1-6</sub> alkylene.

10. (Canceled)

11. (Original) The compound according to claim 1, wherein R<sup>1</sup> and R<sup>2</sup> are C<sub>1-6</sub> alkyl.

12. (Original) The compound according to claim 1, wherein Y is -CO-.

13. (Original) The compound according to claim 1, which is

N-((1R,2S)-1-(((5-((dimethylamino)methyl)-2-((methylamino)carbonyl)phenyl)amino)carbonyl)-2-(1H-indol-3-yl)propyl)-4-(2-methylphenyl)-1-piperidinecarboxamide;

N-((1R,2S)-1-(((2-((dimethylamino)carbonyl)-5-((dimethylamino)methyl)phenyl)amino)carbonyl)-2-(1H-indol-3-yl)propyl)-4-(4-fluorophenyl)-1-piperidinecarboxamide;

N-((1R,2S)-1-(((5-((dimethylamino)methyl)-2-methoxyphenyl)amino)carbonyl)-2-(1H-indol-3-yl)propyl)-4-(4-fluoro-2-methylphenyl)-3-oxo-1-piperazinecarboxamide;

N-((1R,2S)-1-(((5-((dimethylamino)methyl)-2-methoxyphenyl)amino)carbonyl)-2-(1H-indol-3-yl)propyl)-4-(2-methylphenyl)-1-piperazinecarboxamide;

N-((1R,2S)-1-(((5-((dimethylamino)methyl)-2-ethoxyphenyl)amino)carbonyl)-2-(1H-indol-3-yl)propyl)-4-(4-fluorophenyl)-1-piperazinecarboxamide; or

N-((1R,2S)-1-(((5-((dimethylamino)methyl)-2-ethoxyphenyl)amino)carbonyl)-2-(1H-indol-3-yl)propyl)-4-phenyl-1-piperidinecarboxamide.

14. (Previously Presented) A pharmaceutical preparation comprising the compound according to claim 1 or a salt thereof.

15. (Original) The pharmaceutical preparation according to claim 14, which is a somatostatin receptor binding inhibitor.

16. (Original) The pharmaceutical preparation according to claim 15, which is a somatostatin subtype 2 receptor binding inhibitor.

17. (Original) The pharmaceutical preparation according to claim 14, which is a somatostatin receptor agonist.

18. (Original) The pharmaceutical preparation according to claim 17, which is a somatostatin subtype 2 receptor agonist.

19. (Currently Amended) The pharmaceutical preparation according to claim 14, which is a prophylactic or therapeutic agent for diabetes type 1 or type 2, diabetic retinopathy, diabetic nephropathy, diabetic neuropathy, Doan syndrome or orthostatic hypotension ~~or diabetic complications~~.

20. (Currently Amended) The pharmaceutical preparation according to claim 14, which is a ~~prophylactic or~~ therapeutic agent for obesity.

21. (Canceled)

22. (Previously Presented) A method for inhibiting somatostatin receptor binding in a mammal, which comprises administering to the mammal an effective amount of the compound according to claim 1 or a salt thereof.


23. (Canceled)

24. (Currently Amended) A method for ~~preventing or~~ treating diabetes type 1 or type 2, diabetic retinopathy, diabetic nephropathy, diabetic neuropathy, Doan syndrome or orthostatic hypotension ~~or diabetic complications~~ in a mammal, which comprises administering to the mammal an effective amount of the compound according to claim 1 or a salt thereof.

25. (Canceled)

26. (Currently Amended) A method for ~~preventing or~~ treating obesity in a mammal, which comprises administering to the mammal an effective amount of the compound according to claim 1 or a salt thereof.

27. (Currently Amended) A method for producing a compound of claim 1 or a salt thereof, which comprises reacting a compound of the formula:




wherein

Y represents a bond, C<sub>1-6</sub> alkylene, -CO-, -CO-alkb- or -CO-alkd-O- (alkb and alkd are the same or different and each represents a C<sub>1-6</sub> alkylene or a bond) ~~or a spacer having a main chain of 1 to 6 atoms;~~

R<sup>4</sup> and R<sup>5</sup> are the same or different, and each represents a hydrogen atom or C<sub>1-6</sub> alkyl ~~a hydrocarbon group optionally having substituents~~, or R<sup>4</sup> and R<sup>5</sup>, together with the adjacent carbon atom, form a ring optionally having substituents;

R<sup>6</sup> represents an indolyl group optionally having substituents;

Z represents piperidinyl optionally having substituents or piperazinyl optionally having substituents or a salt thereof, with a compound of the formula:



wherein

ring A represents a benzene ring, which may have 1 to 3 substituents selected from


- (1) halogen atom,
- (2) nitro,
- (3) cyano,
- (4) hydroxy,
- (5) C<sub>1-6</sub> alkyl optionally having 1 to 5 halogen atoms,
- (6) C<sub>6-14</sub> aryl, which may have 1 to 5 substituents selected from  
halogen atom, hydroxy, C<sub>1-6</sub> alkyl optionally having 1 to 5 halogen  
atoms, C<sub>1-6</sub> alkoxy optionally having 1 to 5 halogen atoms, and  
C<sub>1-6</sub> alkyl-carbonyl optionally having 1 to 5 halogen atoms,
- (7) C<sub>1-6</sub> alkoxy optionally having 1 to 5 halogen atoms,
- (8) C<sub>1-6</sub> alkylthio optionally having 1 to 5 halogen atoms,
- (9) amino,
- (10) mono- or di-C<sub>1-6</sub> alkylamino,
- (11) C<sub>1-6</sub> alkyl-carboxamide optionally having 1 to 5 halogen atoms,
- (12) carbamoyl,
- (13) mono- or di-C<sub>1-6</sub> alkyl-carbamoyl,
- (14) C<sub>1-6</sub> alkyl-carbonyl optionally having 1 to 5 halogen atoms,

- (15) C<sub>1-6</sub> alkyl-sulfonyl optionally having 1 to 5 halogen atoms,
- (16) 5- to 7-membered non-aromatic heterocyclic group,
- (17) C<sub>1-6</sub> alkoxy-C<sub>1-6</sub> alkoxy,
- (18) 5- or 6-membered heterocyclic carbonyl,
- (19) carboxy,
- (20) C<sub>1-6</sub> alkoxy-carbonyl,
- (21) 5- to 7-membered aromatic heterocyclic group, which may have 1 to 3 substituents selected from C<sub>1-6</sub> alkyl optionally having 1 to 5 halogen atoms,
- (22) C<sub>1-6</sub> alkylsulfinyl optionally having 1 to 5 halogen atoms, and
- (23) C<sub>3-8</sub> cycloalkyl-C<sub>1-6</sub> alkoxy optionally having substituents;

B represents a C<sub>1-6</sub> alkylene optionally having substituents;

R<sup>1</sup> and R<sup>2</sup> are the same or different, and each represents a hydrogen atom or C<sub>1-6</sub> alkyl, a hydrocarbon group optionally having substituents or a heterocyclic group optionally having substituents;

R<sup>3</sup> represents a hydrogen atom, a hydrocarbon group optionally having substituents or a heterocyclic group optionally having substituents; or a salt thereof to give a compound of the formula:



wherein



each symbol is as defined above; or a salt thereof, and optionally reacting the compound or a salt thereof with a compound of the formula:  $L^4$ -Ya-Za wherein  $L^4$  represents a leaving group; Ya represents a bond,  $C_{1-6}$  alkylene, -CO-, -CO-alkb- or -CO-alkd-O- (alkb and alkd are the same or different and each represents a  $C_{1-6}$  alkylene or a bond)~~or a spacer having a main chain of 1 to 6 atoms~~; Za represents a hydrogen atom, a halogen atom or a cyclic group optionally having substituents; or a salt thereof.

28. (Canceled)